



EN

Seg. NO.	Appellation	Qty
1	Thermometer	1
2	Lid	1
3	Lid-handle assembly	1
4	Cooking grids	1
5	Heat distribution panel	2
6	Side table	2
7	Decoration strip	2
8	Main burner tube assembly	2
9	Firebox front Baffle	1
10	Control panel fixing panel	2
11	Gas tube	1
12	Control panel decoration strip	1
13	Control panel	1
14	Main burner control knob	2
15	Cart front beam	1
16	Cart front panel	1
17	Gas connector fixing holder	1
18	Grease tray	1
19	Leg-1	1
20	Leg-2	1
21	Cart side beam	2
22	Leg-3	1
23	Leg-4	1
24	Cart bottom panel	1
25	Wheel	4
26	Battery box	1

Make sure your grill is assembled properly. Detailed assembly instructions are packed with each grill giving specific assembly procedures for each model. Follow these instructions carefully to ensure the correct and safe assembly of the grill.

Caution: Although we take every effort to ensure that the assembly process is as easy as possible, it is inherent with fabricated steel parts that corners and edges can cause cuts if improperly handled during assembly procedures.

Be careful while handling any parts during assembly. It is strongly recommended that you protect hands with a pair of work gloves.



EN

1. Technical data

Garbou GmbH, Dornaper Strasse 18, 42327 Wuppertal, Germany		CE 0359-17				
Product name	Outdoor gas Grill					
Model name	ATLANTA 200					
Product Identification Number	0063CM7063					
Gas Category	I3+(28-30/37)	I3B/P(30)	I3B/P(50)			
Gas and Supply Pressure	Butane(G30)	Propane(G31)	Butane(G30)	Butane/Propane		
	28-30 mbar	37 mbar	28-30 mbar	30 mbar	50 mbar	37 mbar
Country of Destination	I3+(28-30/37): BE, CH, CY, CZ, ES, FR, GB, GR, IE, IT, LT, LU, LV, PT, SK, SI I3B/P(30): BE, CY, DK, EE, FI, HU, LT, NL, NO, SE, SI, SK, RO, HR, TR, BG, LU, MT I3B/P(50): AT, CH, DE, SK I3B/P(37): PL I3B/P(30): NZL					
Main Burner Injector Size	Ø 0.92 mm	Ø 0.92 mm	Ø 0.92 mm	Ø 0.81 mm	Ø 0.85 mm	
Side Burner Injector Size	-	-	-	-	-	
Total Nominal Heat Inputs (Hs)	7 kW/(510 g/h)					
Gas Supply Pressure Range						
Serial Number						
Use Outdoors Only						
Read the instructions before using the appliance.						
Warning : Accessible parts may be very hot. Keep young children away. Made in China						


The gas cylinder is recommended to 5 kg LPG gas bottle, it is sufficient for a heating period of approx. 9.5 hours with full power.

Made for:
Garbou GmbH
Dornaper Strasse 18
42327 Wuppertal
Germany


Distributor:
BAHAG AG
Gutenbergstr. 21
68167 Mannheim
Germany




1.




2.



3.




4.






5.



6.




8x
spacer

2x
spacer




7.




2x
spacer

8.







9.




10.



11.




12.







13.




14.



15.



16.





17.

